

Simplified Regenerative Procedures for Intraosseous



SIMPLIFIED REGENERATIVE PROCEDURES

for Intraosseous Defects



Edited by

Leonardo Trombelli, DDS, PhD

Full Professor and Chair, Periodontology
Director, Research Centre for the Study of Periodontal
and Peri-Implant Diseases
University of Ferrara

Operative Unit of Dentistry
Azienda Unità Sanitaria Locale di Ferrara
Ferrara, Italy

 **QUINTESSENCE PUBLISHING**

Berlin | Chicago | Tokyo
Barcelona | London | Milan | Mexico City | Moscow | Paris | Prague | Seoul | Warsaw
Beijing | Istanbul | Sao Paulo | Zagreb

To my mentor, Prof Giorgio Calura, with gratitude



Library of Congress Cataloging-in-Publication Data

Names: Trombelli, Leonardo, editor.

Title: Simplified regenerative procedures for intraosseous defects / edited by Leonardo Trombelli.

Description: Chicago : Quintessence Publishing Co, Inc, [2020] | Includes bibliographical references and index. | Summary: "Atlas presenting surgical and nonsurgical methods to treat intraosseous defects, with a focus on the single-flap approach, including indications and contraindications for treating defects with each method and detailed descriptions of the steps required for each procedure"-- Provided by publisher.

Identifiers: LCCN 2019047285 (print) | LCCN 2019047286 (ebook) | ISBN 9780867159455 (paperback) | ISBN 9780867159929 (ebook)

Subjects: MESH: Periodontal Diseases--surgery | Guided Tissue Regeneration, Periodontal--methods | Surgical Flaps | Atlas

Classification: LCC RK361.A1 (print) | LCC RK361.A1 (ebook) | NLM WU 17 | DDC 617.6/32059--dc23

LC record available at <https://lcn.loc.gov/2019047285>

LC ebook record available at <https://lcn.loc.gov/2019047286>



© 2020 Quintessence Publishing Co, Inc

Quintessence Publishing Co, Inc
411 N Raddant Road
Batavia, IL 60510
www.quintpub.com

5 4 3 2 1

All rights reserved. This book or any part thereof may not be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, or otherwise, without prior written permission of the publisher.

Editor: Marieke Zaffron
Design: Sue Zubek
Production: Angelina Schmelter

Printed in the USA

CONTENTS



Foreword *vi*
Preface *vii*
Contributors *ix*

1 Introduction *1*
Leonardo Trombelli, Roberto Farina, Anna Simonelli

**2 Fundamentals in Periodontal
Regeneration** *7*
Raluca Cosgarea, Dieter D. Bosshardt, Leonardo Trombelli, Anton Sculean

**3 Nonsurgical Treatment of Intraosseous
Defects** *41*
*Mario Aimetti, Giulia Maria Mariani, Federica Romano, Anna Simonelli,
Leonardo Trombelli*

**4 Simplified Surgical Regenerative
Procedures: The Single-Flap
Approach** *77*
Leonardo Trombelli, Roberto Farina, Anna Simonelli

Index *139*

Video content

Extra video content is available online wherever indicated by a QR code. Scan the QR codes in the text to access this supplementary information or visit the web page listed in the book.

FOREWORD



It is always a great satisfaction when you are asked to write a foreword of a good book. This is especially true when the book expands our scientific culture and promotes the training of our students and professionals. Frequently, these books introduce new knowledge or new technologies. However, it is less frequent for a book to be purposely focused on training students and professionals on surgical procedures. This atlas focuses on evidence-based education and in acquiring relevant professional competencies in the surgical treatment of specific periodontal lesions (ie, intraosseous defects). The information provided is clear, well organized, and very practical, but at the same time it is rigorous and up to date with current knowledge, comprehensively covering the fundamentals of periodontal regeneration and the use of the different technologies. It particularly focuses on simplified surgical procedures aimed to attain the best possible regenerative outcomes with minimal invasiveness.

The author, Prof Leonardo Trombelli, has dedicated many years of his professional life to studying and researching successful long-term periodontal therapy and specifically the use of regenerative surgical interventions to improve the prognosis of periodontally affected teeth. He has published essential scientific articles that provide the basis for this book. His contribution to this work clearly demonstrates not only his excellent scientific background but also the teaching abilities that are needed to produce a book such as this, with scientific rigor and at the same time with practical relevance for students and professionals. Moreover, the many contributors in this work are not only well respected in Italy but also in Europe and beyond.

In summary, this book is clear and well written and provides very useful and relevant content to support dentists and periodontists in learning how to apply modern periodontal surgical interventions to achieve regeneration in teeth that have lost periodontal attachment as a consequence of periodontitis.

Mariano Sanz, MD, DDS, DR Med
Professor and Chairman, Periodontology
Faculty of Odontology
Complutense University of Madrid
Madrid, Spain



PREFACE

Man should be as eager to simplify his life as he is to complicate it.
—Henri-Louis Bergson

For 20 years, in collaboration with the whole research group at the Research Centre for the Study of Periodontal and Peri-Implant Diseases, University of Ferrara, we have been making a great effort in trying to find diagnostic and therapeutic solutions that could optimize endpoints while making clinical processes and pathways easier for practitioners and students. We started back in 2007 with a simplified method to access deep intraosseous defects (the *single-flap approach*, or SFA, that will be extensively described in this book). Then, in 2008, we introduced the Smart Lift technique—a simplified, standardized method to perform sinus elevations with a minimally invasive transcrestal surgical procedure (a method that has been extensively investigated and published on for more than 10 years). In 2009, we reported on a simplified method to assess the periodontal risk profile of the patient, based on five straightforward parameters that have been shown to be linked to the progression of periodontal breakdown. And more recently, in 2018, we published on a simplified method for horizontal bone augmentation, which is based on the creation of a periosteal pouch that acts as an osteogenic, space-providing membrane for bone grafting (the subperiosteal peri-implant augmented layer, or SPAL technique).

The development of simplified procedures has been a main focus of my career for two main reasons. First, I want to provide the profession with simple, straightforward, innovative solutions that may bring clinicians closer to procedures that are otherwise neglected because of their potential complexity. In search of simplified diagnostic and treatment procedures, we targeted those that are mostly perceived as successful only when performed by the talented and gifted hands of a few select colleagues. I am well aware that spreading the use of simplified procedures among dental professionals means amplifying the number of patients who may benefit from them. The second reason is related to my mission as a university faculty member. Teaching simple procedures can help the great majority of students to reach a high level of competence in a reasonable amount of time with a fast learning curve.

These two reasons represent the main driving force that brought me to write this book. With the large number of photographs and videos of many different clinical cases, the textbook has been designed as a sort of tutorial for both graduate students and practitioners who want to expand their knowledge and technical skill in the nonsurgical and surgical treatment of deep intraosseous defects, very common lesions in patients with Stage III and IV periodontitis. In particular, the SFA is thoroughly described with a step-by-step approach, starting from the analysis of diagnostic and prognostic patient/defect characteristics to the selection of surgical instruments, choice of flap design, methods for root debridement and



conditioning, use of appropriate regenerative technologies, description of suitable suture techniques for different flap designs, and the short- and long-term postsurgery care. A multitude of clinical cases are illustrated in great detail in order to provide a wide range of scenarios and conditions where the SFA can be easily and successfully applied.

In conclusion, I wish to acknowledge all the coauthors who have contributed to make this textbook a unique, up-to-date manual on regenerative procedures: Anton Sculean, Dieter Bosshardt, and Raluca Cosgarea, who have thoroughly described the fundamental principles of periodontal regeneration; Mario Aimetti, Giulia Mariani, and Federica Romano, who described novel nonsurgical approaches; and Roberto Farina for his talented help with the surgical chapter. A special thanks to Anna Simonelli, who spent a great amount of her postgraduate education and PhD program coordinating and monitoring a massive amount of clinical research on the SFA. Without her precious work, this textbook would have never reached such a level of quality and completeness. Also, I want to express my sincere gratitude to Quintessence Publishing, who from the very first moment has strongly and convincingly believed in this challenging editorial project. Last but not least, I want to thank my family: my wife, Cristina, and my children Emma and Andrea for their continuous, silent, and patient support.

CONTRIBUTORS



Mario Aimetti, MD, DDS

Associate Professor, Periodontology
Department of Surgical Sciences
Dental School
University of Turin
Turin, Italy

Dieter D. Bosshardt, PhD

Associate Professor
Department of Oral Surgery and Stomatology
School of Dental Medicine
University of Bern
Bern, Switzerland

Raluca Cosgarea, DDS

Assistant Professor
Department of Periodontology
Philipps University of Marburg
Marburg, Germany
Assistant Professor
Department of Prosthetic Dentistry
Iuliu Hațieganu University of Medicine
and Pharmacy
Cluj-Napoca, Romania

Roberto Farina, DDS, PhD, MSc

Associate Professor, Oral Surgery
Research Centre for the Study of
Periodontal and Peri-Implant Diseases
University of Ferrara
Operative Unit of Dentistry
Azienda Unità Sanitaria Locale di Ferrara
Ferrara, Italy

Giulia Maria Mariani, DDS, MSc

Visiting Professor, Periodontology
Department of Surgical Sciences
Dental School
University of Turin
Turin, Italy

Federica Romano, DDS

Research assistant, Periodontology
Department of Surgical Sciences
Dental School
University of Turin
Turin, Italy

Anton Sculean, DMD, Dr hc, MSc


Full Professor and Chair, Periodontology
Department of Periodontology
School of Dental Medicine
University of Bern
Bern, Switzerland

Anna Simonelli, DDS, PhD

Research Fellow, Periodontology
Research Centre for the Study of
Periodontal and Peri-Implant Diseases
University of Ferrara
Ferrara, Italy

Leonardo Trombelli, DDS, PhD

Full professor and Chair, Periodontology
Director, Research Centre for the Study of
Periodontal and Peri-Implant Diseases
University of Ferrara
Operative Unit of Dentistry
Azienda Unità Sanitaria Locale di Ferrara
Ferrara, Italy



INTRODUCTION

Leonardo Trombelli, DDS, PhD

Roberto Farina, DDS, PhD, MSc

Anna Simonelli, DDS, PhD

WHY A TEXTBOOK ON THE TREATMENT OF INTRAOSSEOUS DEFECTS?

The prevalence of intraosseous defects in adults was investigated on dried skulls¹ as well as through clinical^{2,3} and radiographic assessments.⁴⁻⁸ At the patient level, the presence of at least one intraosseous defect was detected with an incidence ranging between 25.5% and 51% in samples representative of the general population or specific age cohorts,^{1,6,7} between 18% and 23% in patients seeking dental care,^{4,8} and of 45.1% in a periodontally compromised cohort.² A retrospective study revealed that intraosseous lesions are at high risk of further progression, and they may lead to tooth loss if left untreated.⁹ Papapanou and Wennström⁹ retrospectively recorded the bone level changes as well as tooth loss over a 10-year period at tooth sites with intraosseous defects in individuals not treated with systematic periodontal therapy. The results demonstrated an increased frequency of tooth loss and bone loss with increasing depth of the intraosseous defect. In particular, the proportion of teeth lost between the 1- and 10-year examinations was 22%, 46%, and 68% for teeth with a defect depth of 2 mm, 2.5 to 4 mm, and ≥ 4.5 mm, respectively.

These observations reinforce the need for:

- A proper diagnosis of the intraosseous defect, which represents a common lesion in patients affected by Stage III and IV periodontitis.
- An appropriate treatment of the lesion that may successfully revert those conditions (probing depth [PD] ≥ 5 mm associated with bleeding on probing [BOP]) conducive to progressive attachment/bone loss.



WHY A TEXTBOOK ON REGENERATIVE PROCEDURES?

The ideal outcome of the surgical treatment of a deep intraosseous defect is the regeneration of the tooth attachment apparatus destroyed by the process of periodontitis. From a histologic point of view, periodontal regeneration implies the formation of periodontal ligament fibers inserted into newly formed cementum and bone.¹⁰ Data from human histologic studies have provided evidence that periodontal regeneration may be accomplished by using different regenerative technologies, including membranes and biologic agents¹¹⁻¹⁵ (see chapter 2).

Extensive clinical data have shown that compared with nonregenerative treatment, the surgical regenerative treatment of deep intraosseous lesions may result in a considerable improvement of probing parameters following the tissue maturation phase.¹⁶⁻²¹ From a clinical point of view, periodontal regeneration may result in a substantial increase in clinical attachment level (CAL) gain (of at least 3 mm) and relevant bone fill of the intraosseous component of the lesion together with a maintainable, stable probing depth (ie, PD \leq 4 mm in absence of BOP).

Sculean et al²² published the results of a 10-year follow-up after the regenerative treatment of 38 intraosseous periodontal defects with different regenerative treatments: enamel matrix derivative (EMD), guided tissue regeneration (GTR), combination EMD and GTR, and open flap debridement (OFD). After treatment, all patients were placed in a 3-month supportive periodontal care program. At 1 year, a significantly greater CAL gain was achieved in the regeneration groups (ie, GTR, EMD, or combination) compared to OFD controls, and this was maintained substantially unvaried for a 10-year period.

A 20-year follow-up after regenerative treatment of intraosseous defects was recently reported in a cohort of 45 patients.²³ Defects were treated with three different modalities: GTR with modified papilla preservation flap, GTR with conventional access flap, and access flap alone without membrane. All patients were enrolled in a supportive periodontal care program with 3-month recalls. At both 1-year and 20-year reevaluation, a significantly better CAL gain and PD reduction was obtained by the two GTR treatments than the access flap. Moreover, the access flap surgery was associated with a greater disease recurrence.²³

Collectively, available data seem to support the use of regenerative devices to ensure better short- and long-term outcomes than mere surgical debridement at deep intraosseous defects.

WHY A TEXTBOOK ON SIMPLIFIED TREATMENT PROCEDURES?

Despite decades of well-established nonsurgical and surgical protocols and techniques, the treatment of deep intraosseous lesions still represents a challenge for clinicians. There is a perception that the regenerative treatment of an intraosseous lesion is both technically sensitive and costly, with limited outcome predictability in the hands of the average operator (ie, not specially trained or highly skilled). This perception is likely due to aspects related to debridement of any lesions via a "closed" approach (see chapter 3) and those associated with the difficulty in performing a correct flap design and suturing technique as well as in selecting the appropriate regenerative



technology. The purpose of this textbook is to present simplified procedures that may overcome these issues, at least in part, when treating an intraosseous defect.

The term *simplify* means the act of making something less complex. In the present textbook, we define a procedure aimed at improving the clinical conditions of a deep intraosseous lesion (in terms of substantial clinical and histologic attachment gain and bone fill, reduction of the PD to a maintainable condition, and limited to no postsurgery recession) as *simplified* when characterized by more favorable conditions for the patient and/or the clinical operator. Although the terms *simplification* and *minimal invasiveness* may appear as synonyms when referring to periodontal treatment, in our perspective *simplification* implies a substantially broader concept.

For the operator, a simplified procedure has the following characteristics²⁴:

- Limited surgical equipment
- An easy-to-learn technique
- Limited need for additional treatments or devices (through the maximization of the inherent healing potential of the treated lesion)

For the patient, a simplified procedure should have a reduced impact on the following²⁴:

- Posttreatment daily activities
- Posttreatment pain and discomfort (also reducing the required compliance for post-treatment regimens)
- Preexisting esthetics

For both patient and operator, a simplified procedure should reduce both treatment costs and chairside time needed for both treatment administration and follow-up visits.²⁴ This also results in fewer treatment costs.

Nonsurgical therapy as a standalone treatment always represents a “simplified” procedure, particularly when compared with surgical approaches. Among the available surgical options, simplified surgical procedures share a common technical aspect (ie, the elevation of a single flap on the buccal or palatal/lingual aspect), leaving the tissues on the opposite side intact. In this respect, this textbook will focus in detail on a novel surgical approach—the single-flap approach—that was first introduced in 2007²⁵ and repeatedly validated by different randomized clinical trials thereafter (see chapter 4). The single-flap approach was shown to be at least as effective as traditional papilla preservation techniques when evaluated either as a standalone protocol or in combination with regenerative devices.

The main goal of this textbook is to show the effectiveness of simplified surgical procedures to treat challenging intraosseous lesions. The authors’ ambition is to teach how clinicians may achieve substantial treatment outcomes associated with minimal esthetic impairment and a more tolerable postoperative course.

Simplifying both the nonsurgical and surgical treatment phases will achieve the following outcomes:

- Reshape the learning curve, thus increasing the generalizability of treatment outcomes
- Improve patient access to care by limiting biologic and economic costs



REFERENCES

1. Larato DC. Intrabony defects in the dry human skull. *J Periodontol* 1970;41:496–498.
2. Söder B, Jin LJ, Söder PO, Wikner S. Clinical characteristics of destructive periodontitis in a risk group of Swedish urban adults. *Swed Dent J* 1995;19:9–15.
3. Vrotsos JA, Parashis AO, Theofanatos GD, Smulow JB. Prevalence and distribution of bone defects in moderate and advanced adult periodontitis. *J Clin Periodontol* 1999;26:44–48.
4. Nielsen IM, Glavind L, Karring T. Interproximal periodontal intrabony defects. Prevalence, localization and etiological factors. *J Clin Periodontol* 1980;7:187–198.
5. Papapanou PN, Wennström JL, Gröndahl K. Periodontal status in relation to age and tooth type. A cross-sectional radiographic study. *J Clin Periodontol* 1988;15:469–478.
6. Wouters FR, Salonen LE, Helldén LB, Frithiof L. Prevalence of interproximal periodontal intrabony defects in an adult population in Sweden. A radiographic study. *J Clin Periodontol* 1989;16:144–149.
7. Soikkonen K, Wolf J, Närhi T, Ainamo A. Radiographic periodontal findings in an elderly Finnish population. *J Clin Periodontol* 1998;25:439–445.
8. Dundar N, Ilgenli T, Kal BI, Boyacioglu H. The frequency of periodontal infrabony defects on panoramic radiographs of an adult population seeking dental care. *Community Dent Health* 2008;25:226–230.
9. Papapanou PN, Wennström JL. The angular bony defect as indicator of further alveolar bone loss. *J Clin Periodontol* 1991;18:317–322.
10. Sander L, Karring T. Healing of periodontal lesions in monkeys following the guided tissue regeneration procedure. A histological study. *J Clin Periodontol* 1995;22:332–337.
11. Nyman S, Lindhe J, Karring T, Rylander H. New attachment following surgical treatment of human periodontal disease. *J Clin Periodontol* 1982;9:290–296.
12. Heijl L, Heden G, Svärdröm G, Ostgren A. Enamel matrix derivative (EMDOGAIN) in the treatment of intrabony periodontal defects. *J Clin Periodontol* 1997;24:705–714.
13. Bosshardt DD, Sculean A, Windisch P, Pjetursson BE, Lang NP. Effects of enamel matrix proteins on tissue formation along the roots of human teeth. *J Periodontol Res* 2005;40:158–167.



14. Majzoub Z, Bobbo M, Atiyeh E, Cordioli G. Two patterns of histologic healing in an intrabony defect following treatment with enamel matrix derivative: A human case report. *Int J Periodontics Restorative Dent* 2005;25:283–294.
15. Nevins M, Kao RT, McGuire MK, et al. Platelet-derived growth factor promotes periodontal regeneration in localized osseous defects: 36-month extension results from a randomized, controlled, double-masked clinical trial. *J Periodontol* 2013;84:456–464.
16. Trombelli L, Heitz-Mayfield LJ, Needleman I, Moles D, Scabbia A. A systematic review of graft materials and biological agents for periodontal intraosseous defects. *J Clin Periodontol* 2002;29(suppl 3):117–135.
17. Giannobile WV, Somerman MJ. Growth and amelogenin-like factors in periodontal wound healing. A systematic review. *Ann Periodontol* 2003;8:193–204.
18. Trombelli L, Farina R. Clinical outcomes with bioactive agents alone or in combination with grafting or guided tissue regeneration. *J Clin Periodontol* 2008;35(suppl 8):117–135.
19. Koop R, Merheb J, Quirynen M. Periodontal regeneration with enamel matrix derivative in reconstructive periodontal therapy: A systematic review. *J Periodontol* 2012;83:707–720.
20. Matarasso M, Iorio-Siciliano V, Blasi A, Ramaglia L, Salvi GE, Sculean A. Enamel matrix derivative and bone grafts for periodontal regeneration of intrabony defects. A systematic review and meta-analysis. *Clin Oral Investig* 2015;19:1581–1593.
21. Kao RT, Nares S, Reynolds MA. Periodontal regeneration—Intrabony defects: A systematic review from the AAP Regeneration Workshop. *J Periodontol* 2015;86(suppl 2):S77–S104.
22. Sculean A, Kiss A, Miliauskaitė A, Schwarz F, Arweiler NB, Hannig M. Ten-year results following treatment of intra-bony defects with enamel matrix proteins and guided tissue regeneration. *J Clin Periodontol* 2008;35:817–824.
23. Cortellini P, Buti J, Pini Prato G, Tonetti MS. Periodontal regeneration compared with access flap surgery in human intra-bony defects 20-year follow-up of a randomized clinical trial: Tooth retention, periodontitis recurrence and costs. *J Clin Periodontol* 2017;44:58–66.
24. Trombelli L, Simonelli A, Minenna L, Vecchiatini R, Farina R. Simplified procedures to treat periodontal intraosseous defects in esthetic areas. *Periodontol 2000* 2018;77:93–110.
25. Trombelli L, Farina R, Franceschetti G. Single flap approach in periodontal surgery [in Italian]. *Dent Cadmos* 2007;75:15–25.

INDEX



Page references followed by “f” denote figures, “t” denote tables, and “b” denote boxes.

A

AAP. *See* American Academy of Periodontology.
Acellular root cementum, 19
Air polishing, 52–53, 53f
Allografts, 15
Alloplastic materials, 15
Amelogenins, 19–20
American Academy of Periodontology, 41
Amino acid glycine powder air polishing, 52
Antimicrobials, for plaque removal, 53–55, 53f–55f
Autogenous grafts, 14–15

B

Barrier membranes, 12–13
Basic fibroblast growth factor, 25
BDXs. *See* Bovine-derived xenografts.
bFGF. *See* Basic fibroblast growth factor.
Bioactive glasses, 18
Biofilm, 41, 84, 110f
Bite guard, 82, 83f
Bleeding on probing, 1, 59–60, 78
BMPs. *See* Bone morphogenetic proteins.
Bone grafts. *See also* Grafts.
 allografts, 15
 autogenous, 14–15
 in periodontal regeneration, 14–17
Bone morphogenetic proteins
 BMP-2, 26–27
 BMP-3, 27
 BMP-6, 27
 BMP-7, 27–28
 BMP-12, 28
 BMP-14, 28
 description of, 15, 26
 periodontal regeneration uses of, 26–28
 wound healing uses of, 26–28
Bone substitute, enamel matrix derivative with, 122–129, 124f, 126f–128f
BOP. *See* Bleeding on probing.
Bovine-derived xenografts, 15

C

CAL. *See* Clinical attachment level.
Calculus, 42f–43f
 Er:YAG laser removal of, 51
 manual devices for removal of, 53
 residual, after professional mechanical plaque removal, 61, 61f
 subgingival, 41f–42f, 48, 52
 supragingival, 42f, 52
Cartilage-derived morphogenetic protein 1, 27
CDMP-1. *See* Cartilage-derived morphogenetic protein 1.
Cellulose acetate laboratory filter, 12

Cemental tear, 78f
Cementum, 8, 10, 17f
Chlorhexidine gluconate, 54–55, 54f–55f
Clinical attachment level, 69f
 antimicrobial effects on, 54
 description of, 2, 13, 15
 enamel matrix derivative effects on, 120
 papilla preservation techniques' effect on, 88
 preoperative loss of, 85f
 single-flap approach effects on, 95f, 108f
Clot, fibrin, 7–9, 66–67, 111
Collagen, 7–9, 97
Collagen matrix, 10
Cone-beam computed tomography, 102
Connective tissue attachment, 8–11
Connective tissue graft with single-flap approach, 131–133, 132f–134f
Coralline xenografts, 16
Coronally positioned single-flap approach, 93
CP-SFA. *See* Coronally positioned single-flap approach.
Critical probing depth, 59

D

DBBM. *See* Demineralized bovine bone mineral.
Decalcified freeze-dried bone allografts, 15–16
Demineralized bovine bone mineral, 85f
Dental hygienist, 46
Dental plaque
 biofilm of, 41, 110f
 interdental cleaning for, 47, 47f
 interproximal cleaning for, 47
 professional mechanical plaque removal. *See* Professional mechanical plaque removal.
 self-performed control of, 46–48, 47f–48f
 tooth brushing for, 46–47, 47f
Dentin tubules, 10
DFA. *See* Double-flap approach.
DFDBA. *See* Decalcified freeze-dried bone allografts.
Diabetes mellitus, 61, 62f
Diastema, 56
Diode laser, 51
Double-flap approach
 morbidity after, 98–99
 single-flap approach versus, 93, 95f, 97–99, 97f, 99f
Doxycycline gel, 53

E

Early healing index, 95–97, 96f, 97f, 119f
EDTA. *See* Ethylenediaminetetraacetic acid.
EHI. *See* Early healing index.
Electric toothbrushes, 46
EMD. *See* Enamel matrix derivative.
Emdogain, 20–21, 22f
EMPs. *See* Enamel matrix proteins.

- Enamel matrix derivative
 bone substitute with, 122–129, 124f, 126f–128f
 clinical attachment level effects of, 120
 definition of, 120
 derivation of, 20
 effectiveness of, 120
 flapless procedure and, 67–68, 68f, 70
 graft biomaterial with, 123f, 124–125
 growth factor activity in, 20
 guided tissue regeneration and, 2, 21–23
 histologic animal and human studies of, 21–23, 22f–23f
 in periodontal regeneration, 20–23
 periodontal tissue affected by, 20–23
 single-flap approach with, 99, 120–129, 121f–124f, 125
 wound healing effects of, 20–21
 xenografts and, 23
- Enamel matrix proteins, 19–20
- Epidermal wound healing, 7, 8f
- Epithelial attachment, 8–11
- Epithelial downgrowth, 9
- ePTFE. *See* Expanded polytetrafluoroethylene.
- Er:YAG laser, 51
- Erythritol, 52
- Ethylenediaminetetraacetic acid, 69f, 121f
- Expanded polytetrafluoroethylene, 9–10, 88
- F**
- FDBA. *See* Freeze-dried bone allografts.
- FGFs. *See* Fibroblast growth factors.
- Fibrin clot, 7–9, 66–67, 111
- Fibroblast(s)
 basic fibroblast growth factor from, 25
 enamel matrix derivative effects on, 20
- Fibroblast growth factors, 25
- Flap design
 anatomical characteristics associated with, 88, 90
 classification of, 88
 for intraosseous defects, 82, 84, 86–90
 suturing techniques based on, 88, 90
- Flap surgery. *See also* Double-flap approach; Single-flap approach.
 guided tissue regeneration and, 86
 suturing technique, 86
- Flapless procedure
 advantages of, 70
 definition of, 67
 enamel matrix derivatives with, 67–68, 68f, 70
 intraosseous defects treated with, 70, 70f–71f
 limitations of, 70
 operative protocol for, 69, 69f
 posttreatment regimen after, 70
- Flossing, 47
- FP. *See* Flapless procedure.
- Freeze-dried bone allografts, 15–16
- G**
- Gingival recession
 after single-flap approach, 114f, 129–133, 129f–134f
 minimally invasive nonsurgical therapy and, 65
- Gracey mini curettes, 51f, 64–65
- Grafts
 allografts, 15
 autogenous, 14–15
- bone, 14–17
 decalcified freeze-dried bone allografts, 15
 enamel matrix derivative with, 123f, 124–125
 freeze-derived bone allografts, 15
 xenografts, 15–16, 17f
- Granulation tissue, 7–8, 85f
- Growth differentiation factor-5, 27–28
- Growth differentiation factor-7, 27–28
- Growth factors
 enamel matrix derivative and, 20
 fibroblast, 25
 insulin-like, 25
 periodontal regeneration uses of, 24–28
 platelet-derived, 24
 transforming growth factor β , 26
- GTR. *See* Guided tissue regeneration.
- Guided tissue regeneration
 animal studies of, 11
 barrier membranes used in, 12–13
 basic fibroblast growth factor and, 25
 biological concepts in, 11–18, 12f–13f, 16f–17f
 development of, 11
 enamel matrix derivative and, 2, 21–23
 flap surgery and, 86
 intraosseous defects treated with, 114–118, 115f–117f
 long-term studies of, 2
 modified papilla preservation technique for, 88
 nonresorbable membranes used in, 12–13
 periodontal regeneration, 11–12, 12f
 principles of, 10
 resorbable membranes used in, 13–14
 single-flap approach and, 82f, 114–118, 115f–117f
 smoking effects on, 78
- H**
- HA. *See* Hydroxyapatite.
- Hertwig epithelial root sheath layer, 19
- Hirschfeld file scalers, 106, 115f
- Horizontal mattress suture, 106, 107f
- Hydroxyapatite, 16, 18
- Hydroxyapatite-based graft, with single-flap approach, 114, 118, 118t, 119f
- I**
- IGFs. *See* Insulin-like growth factors.
- Incision line, for single-flap approach, 102–103, 104f
- Inflammatory cells, 7
- Insulin-like growth factors, 25
- Interdental cleaning, 47, 47f
- Interdental papillae, 107f
- Interproximal cleaning, 47
- Interproximal space, narrow, 106
- Interproximal tissue maintenance technique, 88, 92t
- Intrabony defects. *See also* Intraosseous defects.
 alloplastic grafts for, 18
 bovine-derived xenografts for, 15, 16f
 cone-beam computed tomography of, 102
 enamel matrix derivative for, 21
 flapless procedure with enamel matrix derivatives for, 68f
 mandibular second molar, 67f
- Intraoral autogenous grafts, 14
- Intraosseous defects. *See also* Intrabony defects.

angle of, 81f
 characteristics of, 79–80
 classification of, 79, 80f
 cortical perforations for, 106
 debridement of, in single-flap approach, 106, 112f
 deep, 84f
 depth of, 81f
 distribution of, 100f
 flap design for, 82, 84, 86–90
 flapless procedure for, 70, 70f–71f. *See also* Flapless procedure.
 infrabony component of, 79, 79f
 interproximal, 131f
 minimally invasive nonsurgical therapy for. *See* Minimally invasive nonsurgical therapy.
 modified papilla preservation technique for, 88, 89f
 multiple, single-flap approach for, 106, 108f–110f
 one-wall, 79, 80f, 101
 prevalence of, 1
 prognosis for, 81f
 progression of, 1
 regenerative treatment of, 2
 single-flap approach and guided tissue regeneration for, 82f
 suprabony component of, 79, 79f
 surgical treatment of. *See* Surgical treatment.
 three-wall, 79, 80f, 101
 tooth loss caused by, 1
 two-wall, 79, 80f
 width of, 79
 ITM technique. *See* Interproximal tissue maintenance technique.

L

Laser therapy, 51, 52f
 Long junctional epithelium, 9, 9f, 14–15, 18

M

Macrophages, 7
 Magnetostrictive scalers, 49f
 Membranes, in periodontal regeneration, 12–14
 Mesenchymal stem cells, 20
 Millipore, 12
 Mini curettes, 50, 51f, 64
 Minimal invasiveness, 3
 Minimally invasive nonsurgical therapy
 clinical results of, 65
 enamel matrix derivatives with, 67. *See also* Flapless procedure.
 gingival recession and, 65
 rationale for, 64
 recommendations for, 65b
 regenerative potential of, 66–67
 treatment protocol for, 64–65, 65b
 Minocycline, 53
 MINST. *See* Minimally invasive nonsurgical therapy.
 Mitogenic factors, 20
 M-MIST. *See* Modified minimally invasive surgical technique.
 Modified Bass technique, 46
 Modified minimally invasive surgical technique, 93
 Modified papilla preservation technique, 88, 89f, 92f
 MPPT. *See* Modified papilla preservation technique.
 MSCs. *See* Mesenchymal stem cells.
 Mucogingival flap, 7–8

N

Nd:YAG laser, 51
 Neutrophils, 7, 8f
 Nonresorbable membranes, 12–13
 Nonsurgical therapy
 appropriateness of, 41
 clinical outcomes of, 55–60, 56f–60f
 goals of, 41–46
 patient reevaluation after, 64
 for periodontitis, 41–64
 professional mechanical plaque removal. *See* Professional mechanical plaque removal.
 as simplified procedure, 3
 stability as endpoint of, 56
 tooth mobility affected by, 56

O

Obesity, 61
 OFD. *See* Open flap debridement.
 Open flap debridement
 description of, 12, 14
 guided tissue regeneration and enamel matrix derivative versus, 22–23
 Oral hygiene, home-based programs for, 47
 Osseointegration, 11
 Osteoconduction, 15
 Osteogenic protein 1, 27–28
 Osteogenin, 27–28
 Oxytalan fibers, 21

P

Palatal single-flap approach, 105f, 107f, 130f, 131
 Papilla preservation techniques
 clinical attachment level affected by, 88
 description of, 86, 88
 indications for, 92t
 single-flap approach versus, 3
 PDGF. *See* Platelet-derived growth factor.
 PDL. *See* Periodontal ligament.
 PDT. *See* Photodynamic therapy.
 PerioChip, 55, 55f
 Periodontal ligament
 fibroblasts of, 20
 insulin-like growth factor effects on, 25
 regenerative potential of, 10
 Periodontal pockets, 66f
 Periodontal probe, 48, 49f
 Periodontal regeneration
 allografts in, 15
 alloplastic materials for, 15
 autogenous grafts in, 14–15
 bone grafts in, 14–17
 bone morphogenetic proteins for, 26–28
 cells involved in, 10–11
 decalcified freeze-dried bone allografts for, 15
 enamel matrix derivative for, 20–23, 22f–23f
 experimental studies of, 14
 flap design in, 84
 freeze-dried bone allografts for, 15
 growth factors for, 24–28
 guided tissue regeneration in, 11–12, 12f, 16f
 membranes in, 12–14
 outcomes of, 78
 periodontal infection control for, 69f

predictability of, 86
 suturing technique for, 86
 technical factors for, 84–86, 85f
 technology for, 86
 transforming growth factor β in, 26
 xenografts for, 15–16, 17f
 Periodontal tissue, enamel matrix derivatives effect on, 20–23
 Periodontal wound healing, 7–11
 Periodontitis
 biofilm control for, 41, 41f
 case study of, 44f–45f
 definition of, 41
 modifiable risk factors for, 46
 nonsurgical management of, 41–64
 PGA membranes. *See* Polyglycolic acid membranes.
 Phagocytosis, 7
 Phosphorus pentoxide, 18
 Photodynamic therapy, 51–52, 52f
 Piezoelectric scalers, 49f
 PLA membranes. *See* Polylactic acid membranes.
 Plaque. *See* Dental plaque.
 Plasma proteins, 7
 Platelet-derived growth factor, 24–25
 PMPR. *See* Professional mechanical plaque removal.
 Polyglycolic acid membranes, 13–14
 Polylactic acid membranes, 9, 13–14
 Polymers, 18
 Polymorphonuclear neutrophils, 8f
 PPT. *See* Papilla preservation technique.
 Primary intention healing, 10, 13, 85f, 94
 Probing depths
 critical, 59
 nonsurgical therapy effects on, 59
 patient-related factors that affect, 61
 Professional mechanical plaque removal
 air polishing for, 52–53, 53f
 antimicrobials for, 53–55, 53f–55f
 clinical outcomes of, 55–60, 56f–60f
 instrumentation for, 48–50, 49f–50f
 laser therapy for, 51, 52f
 limitations of, 61, 61f–63f
 manual instruments for, 49, 49f
 mini curettes for, 50, 51f
 periodontal probe used in, 48, 49f
 photodynamic therapy for, 51–52, 52f
 residual calculus after, 61, 61f
 sonic instruments for, 49–50
 subgingival, 61, 61f–63f
 ultrasonic instruments for, 49f–50f, 49–50

R

Recombinant human BMP-2, 27
 Recombinant platelet-derived growth factor-BB
 description of, 24–25, 111
 single-flap approach with, 118–120, 120f
 Regenerative treatment, 2
 Root debridement, in single-flap approach, 106, 112f
 Root planing. *See* Scaling and root planing.
 Root resorption, 8
 Root surface demineralization, 10–11

S

Scaling and root planing
 antimicrobials and, 54
 bone formation after, 67
 residual deposits after, 67
 SFA. *See* Single-flap approach.
 Sharpey fibers, 27
 Silicone dioxide, 18
 Simplified papilla preservation technique, 88, 89f, 92t
 Simplified procedure, 3
 Single-flap approach
 advantages of, 93, 94f–95f
 buccal, 93, 105f
 characteristics of, 90–91, 91f
 clinical attachment level affected by, 95f, 108f
 connective tissue graft with, 131–133, 132f–134f
 coronally positioned, 93
 defect debridement in, 106, 112f
 double-flap approach versus, 93
 early wound stability after, 94–98, 95f–98f
 enamel matrix derivative with, 99, 125
 flap elevation in, 103, 105f
 frequency of, 100–101
 gingival recession after, 114f, 129–133, 129f–134f
 guided tissue regeneration and, 82f
 history of, 3
 hydroxyapatite-based graft with, 114, 118, 118t, 119f
 incision line for, 102–103, 104f
 indications for, 92, 92t
 intraosseous defects treated with
 flap design effects on, 113–114
 multiple, 106, 108f–110f
 without regenerative devices, 113f
 morbidity after, 98–99
 oral hygiene after, 110
 palatal, 105f, 107f, 130f, 131
 papilla preservation techniques versus, 3
 postoperative pain with, 99, 100f
 postsurgery regimen for, 110, 110f
 presurgical protocol for, 102
 reasons for selecting, 92–93
 recession after, 129–133, 129f–134f
 regenerative devices with
 biologic agents, 118–129
 composite outcome measure for, 125, 128
 enamel matrix derivative, 120–129, 121f–124f
 guided tissue regeneration, 114–118, 115f–117f
 necessity of, 111–114
 recombinant human platelet-derived growth factor, 118–120, 120f
 root debridement in, 106, 112f
 surgical protocol for, 102–111, 104f–105f, 107f–111f
 suturing technique for, 106, 107f
 wound closure in, 106, 107f
 wound stability after, 94–98
 Smear layer, 10
 Smoking, 61, 78, 110, 111f
 Sodium bicarbonate air polishing devices, 52
 Sodium oxide, 18
 Sonic instruments, 49–50
 SPPT. *See* Simplified papilla preservation technique.
 SRP. *See* Scaling and root planing.
 Subgingival calculus, 41f–42f, 48, 52
 Supragingival calculus, 42f, 52
 Surgical treatment
 clinical variability in, 77
 indications for, 77–83

INDEX

planning of, 82
simplified procedures, 3
timing of, 77
tooth mobility assessments, 82, 83f

T

TGF- β . *See* Transforming growth factor β .
Tooth brushing, for dental plaque removal, 46–47, 47f
Tooth loss, 1
Tooth mobility, 56
 assessment of, before surgical treatment, 82, 83f
 presurgical, 82
Tooth morphogenesis, 26
Transforming growth factor β , 26
 β -Tricalcium phosphate, 18, 24

U

Ultrasonic instruments, 49f–50f, 49–50
Ultrasonic scaler tips, 50

W

Wound
 dehiscence of, 94
 maturation of, 10–11
Wound healing
 animal experiments in, 10
 bone morphogenetic proteins for, 26–28
 enamel matrix derivative effects on, 20–21
 epidermal, 7, 8f
 fibrin clot in, 7–9, 66–67, 111
 periodontal, 7–11
 transforming growth factor β in, 26
Wound stability
 after single-flap approach, 94–98, 95f–98f
 description of, 9–10

X

Xenografts
 enamel matrix derivative and, 23
 periodontal regeneration uses of, 15–16, 17f

